

Date received: 21/04/16

Date of issue: 22/06/16

Report consists of 6 test reports.

Defects before testing: None

Sample name: CAPRI chair

SAVAS PLASTIK SAN. VE. TIC. A.S.
BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY.
34524 ISTANBUL ()
TR – TURKEY

SAMPLE N° 212980

Overall dimensions: 435 x 505 x 895 (h) mm

List performed tests:

1. Outdoor furniture - General safety requirements EN 581-1:2006
2. Seat and back static load test EN 1728:2012+AC:2013
3. Seat and back fatigue test EN 1728:2012+AC:2013
4. Leg forward static load test EN 1728:2012+AC:2013
5. Leg sideways static load test EN 1728:2012+AC:2013
6. Seat impact test EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

SAMPLE N° 212980

Date of issue: 22/06/16
Sample weight: Not determined
Sample name: CAPRI chair



Side view



Rear view



Bottom view

TEST REPORT

212980 / 1

Date received: 21/04/16

Date of test: 07/06/16

Date of issue: 22/06/16

Sample name: CAPRI chair



SAVAS PLASTIK SAN. VE. TIC. A.S.
BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY.
34524 ISTANBUL
TR - TURKEY

Outdoor furniture - General safety requirements EN 581-1:2006

5.1 Edges and corners of parts which are directly contactable:

Requirement	Observed	Remarks
Edges and corners rounded and chamfered	Yes	None

5.1 Edges and corners of accessible parts:

Requirement	Observed	Remarks
Absence of sharp edges and burrs	Yes	None

5.2 Tubulars, holes and gaps accessible during use:

Requirement	Observed	Remarks
Capped holes and gaps if dimensions are ≥ 7 and ≤ 12 mm with depth ≥ 10 mm tested with probe as specif. at point 4, applying 30 N force	Yes	None
Bottom of tubulars capped or plugged	Yes	None

5.3 Shear and squeeze points:

Requirement	Observed	Remarks
Absence of shear and squeeze points, created by powered mechanisms	Mechanism not present	None
Absence of shear and squeeze points, created by loads during normal use	Yes	None

Conformity to clause 5 of standard EN 581-1:2006:	YES
---	------------

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

212980 / 2

Date received: 21/04/16

Date of test: 07/06/16

Date of issue: 22/06/16

Sample name: CAPRI chair



SAVAS PLASTIK SAN. VE. TIC. A.S.
 BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY.
 34524 ISTANBUL
 TR - TURKEY

Seat and back static load test EN 1728:2012+AC:2013

Seat and back static load test, clause 6.4

Test results:

Seat load N	Back force N	Number of cycles	Remarks
2.000	470	10 x 10 s	No defects
2.000	470	1 x 30 min	No defects

Note:

According to EN 1728:2012, back force has been reduced from 330 N to 310 N to avoid tipping.

Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.300	10 x 10 s	No defects
1.300	1 x 30 min	No defects

Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Managing Director
 Dr. Andrea Gravon*

TEST REPORT

212980 / 3

Date received: 21/04/16

Date of test: 14/06/16

Date of issue: 22/06/16

Sample name: CAPRI chair



SAVAS PLASTIK SAN. VE. TIC. A.S.
 BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY.
 34524 ISTANBUL
 TR - TURKEY

Seat and back fatigue test EN 1728:2012+AC:2013

Seat and back fatigue test, clause 6.17

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	250	50.000	No defects

Note:

According to EN 1728:2012, back force has been reduced from 333 N to 250 N to avoid tipping.

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
 Dr. Andrea Gravon

TEST REPORT**212980 / 4**

Date received: 21/04/16

Date of test: 21/06/16

Date of issue: 22/06/16

Sample name: CAPRI chair

SAVAS PLASTIK SAN. VE. TIC. A.S.
BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY.
34524 ISTANBUL
TR - TURKEY**Leg forward static load test EN 1728:2012+AC:2013**

Leg forward static load test clause 6.15

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Managing Director
Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT**212980 / 5**

Date received: 21/04/16

Date of test: 21/06/16

Date of issue: 22/06/16

Sample name: CAPRI chair

SAVAS PLASTIK SAN. VE. TIC. A.S.
BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY.
34524 ISTANBUL
TR - TURKEY**Leg sideways static load test EN 1728:2012+AC:2013**

Leg sideways static load test clause 6.16


Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
300	1.000	10	No defects

Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.



Managing Director
Dr. Andrea Glavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

212980 / 6

Date received: 21/04/16

Date of test: 21/06/16

Date of issue: 22/06/16

Sample name: CAPRI chair



SAVAS PLASTIK SAN. VE. TIC. A.S.
BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY.
34524 ISTANBUL
TR - TURKEY

Seat impact test EN 1728:2012+AC:2013

Seat impact test clause 6.24

Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	240	10	No defects

Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.